

Powered by



Intelligence
Inside

TD-D2ICR88H-TY

2-Wire IP Video Intercom Kit



Product Functions



intercom



photo



video



monitor



IC card unlock



visitor record



pedestrian
detection



infrared
fill light



Tuya APP



cloud storage



alarm message




video playback

Product Features

- Large Screen Display: Features a 7-inch LCD screen with a resolution of 1024x600 IPS.
- Advanced Communication: Supports intercom, photo capture, video recording, remote unlocking, and visitor record.
- Enhanced Features: Incorporates pedestrian detection, calendar display, and adjustment options for brightness, contrast, and color.
- Secure Lock Control: Offers compatibility with magnetic locks and electric locks, complete with locking delay time settings.
- Connectivity and App Integration: Connects through 2.4G WiFi and seamlessly integrates with the Tuya/Trudian APP.
- IC Card Unlocking: Provides the convenience of IC card unlocking.

Produce Size



Indoor Monitor

Outdoor Station

Whole Unit

| | |
|---|---|
| Adapter | Input: AC100-240V 50Hz/60Hz Output: DC12V 2A |
| Power Consumption (indoor+outdoor) | Static State < 3.5W, Working State < 8W |
| Distance between outdoor station and indoor monitor | 0~15m(RVV4*0.2mm ²) 15~30m(RVV4*0.5mm ²) |
| Unlocking Wiring | 0~10m (RVV2*1.0mm ²) |
| Current and Voltage of Gate Lock | <30V 3A |
| Wiring | 2-wire |
| Relative Humidity | 10%~90% (RH) |
| Tuya APP | 20 users capacity, supports functions including: intercom, photo, video, monitor, unlock, cloud storage, alarm message, video playback. |

Product Specifications

Indoor Monitor


| | |
|---------------------|--|
| Dimensions | 200x132x17.8mm |
| Screen Size | 7 inches LCD |
| Screen Resolution | 1024*600 IPS |
| Power Consumption | working state <8W, static <3.5W |
| Sound | 70-80 dB (<30cm) |
| Working Temperature | -10°C ~ 50° C |
| Network | 2.4G WIFI |
| Functions | intercom, photo, video, unlock, visitor record, pedestrian detection, calendar display, adjust brightness & contrast & color, lock delay adjustment, multi-language OSD menu |
| Expanded Memory | external TF card to automatically save photo video and message |

Outdoor Station


Product Specifications

| | |
|-----------------------|--|
| Dimensions | 66x138x23.5mm |
| Pixel | 2 million pixels/1080P (AHD signal) |
| View Angle | 140 degrees horizontal angle |
| Night Vision | IR CUT switch, high color precision, black and white image |
| Fill Light | 940nm(Infrared) |
| Lock Control | Connectable to magnetic lock and electric lock, indoor unit has locking delay time setting |
| IC Card Unlock | yes |
| Power Consumption | Working state< 5W, Static <1W |
| Sound | 60-70dB (<30cm) |
| Operating Temperature | -20°C~50°C |
| IP Rating | IPx4 |

Wiring Diagram



Packing List



Website: www.trudian.com/en/
 Address: Farbell Technology Park, Yixian Road, Nanlang, Cuiheng New District, Zhongshan City, Guangdong Province, China. Zip Code: 528451
 Phone: +86-0760-23689666
 E-mail: sales@trudian.net

Scan Here to Follow Trudian's Latest News

