


TD68-S-R21

IP Video Intercom Indoor Monitor





Product Functions



Video Intercom



Call Property



Remote Unlock



Camera Surveillance



Security Alarm



Information Release



Elevator Linkage



8 Connectable Sensors





Wall-mounted Trudian Community
Installation Management Center
Platform

Product Features

4.3" HD touchscreen with a touch button.

Supports up to 8 sensors.

Uses Linux OS with 64MB memory and 8MB flash storage.

Wall-mounted installation (138x130x12.8mm).


Basic functions: video intercom, property calling, remote unlocking, surveillance, security alarm, information release.


Extensible function: elevator linkage and compatibility with Trudian Community Management Center Platform.

Button	touch button
Screen	4.3" digital HD screen
Connectable Sensors	8
Power Supply	12V
Standby Current	110mA
Working Current	170mA
Working Temperature	-10°C~+55°C
Working Humidity	10%~90%
OS	Linux
Memory	64MB
Flash	8MB
Installation Method	wall-mounted
Appearance Size	138x130x12.8mm
Basic Functions	video intercom, calling property, remote unlocking, camera surveillance, security alarm, information release
Extensible Functions	elevator linkage
Trudian Community Management Center Platform	yes

Product

Specifications





Packing List



Indoor Monitor





for indoor unit

Screws & anchors



Website: www.trudian.com/en/

Address: Farbell Technology Park, Yixian Road, Nanlang, Cuiheng New District, Zhongshan City, Guangdong Province,

China.Zip Code:528451 Phone: +86-0760-23689666 E-mail: sales@trudian.net



